


Actuator LA14 **Absolute positioning - PWM** *Connection diagram*





Connection diagram

14XXXXXXXX0F0X0X=XX0XXXXXXXXXX







I/O Specifications

Input/Output	Specification	Comments
Description	The actuator can be equipped with electronic circuit that gives an analogue feedback signal when the actuator moves. See connection diagram, figure above	50% 50% PWM
Brown	12-24VDC (+/-) 12V ± 20% 24V ± 10% Under normal conditions:	To extend actuator: Connect Brown to positive To retract actuator: Connect Brown to negative
Blue	12V, max. 5A depending on load 24V, max. 2.5A depending on load	To extend actuator: Connect Blue to negative To retract actuator: Connect Blue to positive
Red Black	Signal power supply (+) 12-24VDC Signal power supply GND (-)	Current consumption: Max. 40mA, also when the actuator is not running
Green Yellow	Not to be connected Not to be connected	actuation is not running
Violet	Digital output feedback (PNP) 10-90% (Option 5) 20-80% (Option 6) Special (Option F)	Output voltage min. V _{IN} - 2V Tolerances +/- 2% Max. current output: 12mA It is recommendable to have the actuator to activate its limit switches on a regular basis, to
White	Not to be connected	ensure more precise positioning

Terms of use

The user is responsible for determining the suitability of LINAK products for specific application. LINAK takes great care in providing accurate and up-to-date information on its products.

However, due to continuous development in order to improve its products, LINAK products are subject to frequent modifications and changes without prior notice. Therefore, LINAK cannot guarantee the correct and actual status of said information on its products.

While LINAK uses its best efforts to fulfil orders, LINAK cannot, for the same reasons as mentioned above, guarantee the availability of any particular product. Therefore, LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or other written material drawn up by LINAK.

All sales are subject to the Standard Terms of Sale and Delivery for LINAK. For a copy hereof, please contact LINAK.